

CLAIMS

1. A method of treating allergic rhinitis in a mammal comprising administering a therapeutically effective amount of atomoxetine to a mammal in need of such treatment.
2. A method according to Claim 1 wherein the atomoxetine is the HCl salt of atomoxetine.
3. A method according to Claim 1 wherein the mammal is human.
4. A method according to Claim 1 wherein the administering is by oral administration.
5. A method according to Claim 1 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the mammal is human.
6. A method according to Claim 1 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the administering is by oral administration.
7. A method according to Claim 1 wherein the atomoxetine is the HCl salt of atomoxetine, wherein the mammal is human, and wherein the administering is by oral administration.
8. A method of treating asthma in a mammal comprising administering a therapeutically effective amount of atomoxetine to a mammal in need of such treatment.
9. A method according to Claim 8 wherein the atomoxetine is the HCl salt of atomoxetine.
10. A method according to Claim 8 wherein the mammal is human.

11. A method according to Claim 8 wherein the administering is by oral administration.
12. A method according to Claim 8 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the mammal is human.
13. A method according to Claim 8 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the administering is by oral administration.
14. A method according to Claim 8 wherein the atomoxetine is the HCl salt of atomoxetine, wherein the mammal is human, and wherein the administering is by oral administration.
15. A method of treating allergic rhinitis and asthma in a mammal comprising administering a therapeutically effective amount of atomoxetine to a mammal in need of such treatment.
16. A method according to Claim 15 wherein the atomoxetine is the HCl salt of atomoxetine.
17. A method according to Claim 15 wherein the mammal is human.
18. A method according to Claim 15 wherein the administering is by oral administration.
19. A method according to Claim 15 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the mammal is human.
20. A method according to Claim 15 wherein the atomoxetine is the HCl salt of atomoxetine, and wherein the administering is by oral administration.

21. A method according to Claim 15 wherein the atomoxetine is the HCl salt of atomoxetine, wherein the mammal is human, and wherein the administering is by oral administration.